
#### OFFICE OF MANNED SPACE FLIGHT

#### APOLLO PROGRAM



#### EVALUATION OF SUPPLIER INSPECTION PLAN

**BASED ON NPC200-3** 

**JULY 1966** 



SPO	PRICE	\$

CFSTI PRICE(S) \$ \_\_\_\_\_

Microfiche (MF) .50

PREPARED BY # 853 July 85
APOLLO PROGRAM OFFICE

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION WASHINGTON, D.C. 20546

July 1966

#### **PREFACE**

This guideline has been prepared as an aid to Apollo Program personnel (NASA, Government Agency, and Contractors) in the evaluation of a Supplier's Inspection Plan in accordance with the requirements of NPC 200-3, "Inspection System Provisions for Suppliers of Space Materials, Parts, Components, and Services." This guideline will provide assurance that all of the required inspection system provisions are considered in the evaluation of a Supplier's Inspection Plan. Comments and questions concerning this publication should be referred to the Apollo Program Office, Reliability and Quality Assurance, NASA, Washington, D.C. 20546.

George A. Lemke, Director, Apollo

Reliability and Quality

#### INTRODUCTION

The Inspection Plan is the documented description of the supplier's inspection system for implementing the quality provisions of the contract, and requires careful preparation to ensure accuracy and completeness. Likewise, the evaluation of the Plan by the reviewing agency is equally important in determining how well the inspection system meets the contractual requirements.

This checklist of questions has been prepared as an aid to the reviewer to effectively evaluate the Plan. It is based on NPC 200-3 and is arranged in a similar format to assure that the reviewer has considered all of the inspection system requirements.

To make the evaluation a measurable quantity, a numerical rating system is included in this procedure. This means establishing a percentage figure to indicate a degree of coverage for each question in the checklist. Each question is to be considered on its own merit with equal importance for all questions. It must be emphasized that in establishing the percentage of coverage, only the content of the plan is to be considered in the evaluation. The reviewer should not consider other knowledge of the supplier's operation or the results of previous surveys or Plan submittals.

The ratings to be used are as follows:

Not covered	0%
Unacceptable coverage	25%
Poor coverage	<b>50</b> %
Good	<b>75</b> %
Excellent	100%
Not Applicable	NA

The overall rating figure is obtained by a simple averaging of all of the applicable percentage figures.

The space provided at the right of the rating column is to be used for remarks, such as indicating corrective action, or defining the nonconformance, or any pertinent

comments regarding the specific question. For every question that does not rate 100% compliance, there should be a notation in the remarks column to indicate the reason for the less than 100% rating.

After completing the review, the reviewer should make a narrative summary of his observations based on the notations in the remarks column; include the numerical rating, note outstanding nonconformances to contractual requirements, and conclude with a recommendation for approval or disapproval of the Plan. In the case of disapproval, the quality areas that require corrective action or further negotiation with the supplier should be identified.

Date

Date	ehicle	Remarks							
	Stage or Vehicle	Percent Rating							
INSPECTION PLAN EVALUATION	Supplier	SECTION 2.0 BASIC REQUIREMENTS	General  Is there an introductory paragraph stating the supplier's policy and his approach regarding his inspection system.	Scope Is there a paragraph that clearly defines the areas covered by the Inspection Plan.	Applicability Are the applicable contractual inspection requirements documents listed; i.e., NPC 200-3, MIL-Q-9858, etc., or portions thereof.	Are contractual exceptions to NPC 200-3 defined.	Relation to Detail Requirements Is the subject of conflict between NPC 200-3 and the contractual requirements mentioned in the plan, and does the contract govern.	Relation to Reliability Requirements If a reliability plan is required, are the functional overlaps with this Inspection Plan defined.	
INSPE	Center	SECTI	2.1	2.2		2.4	2.5	2.6	

ATION
EVALU
I PLAN
INSPECTION

Date

Revision Procedure  2.7 Revision Procedure Is there a section outlining the procedu sions to the Inspection Plan, including: a. Review with cognizant NASA ins b. NASA approval prior to implem c. Organization responsible for ini revisions. d. Schedule of reviews.  Inspection System Is there an organization chart showing of the inspection function to other supp The organization chart, which is a lithe inspection plan, should show the complete organizational functions w the inspection organization. Relatic inspection function with other organ components should be indicated.  2.9 Are inspection participations in other s tions defined or indicated.  2.10 Are functions and responsibilities of es element defined.  2.11 Is there a flow chart showing locations and test control points, and a brief des inspection and tests performed at each	Center	Supplier		Stage or Vehicle
Rev Sio	SECTION	1	Percent Rating	Remarks
The line of the li	2.	Revision Procedure Is there a section outlining the procedure for revisions to the Inspection Plan, including:  a. Review with cognizant NASA installation.  b. NASA approval prior to implementation.  c. Organization responsible for initiating revisions.  d. Schedule of reviews.		
Are inspection participations in tions defined or indicated.  Are functions and responsibilitie element defined.  Is there a flow chart showing locand test control points, and a brinspection and tests performed a	φ	Inspection System Is there an organization chart showing relationship of the inspection function to other supplier functions.  The organization chart, which is a requirement of the inspection plan, should show the supplier's complete organizational functions with details of the inspection organization. Relationships of the inspection function with other organizational components should be indicated.		
	2.9	Are inspection participations in other supplier functions defined or indicated.		
	2.10	Are functions and responsibilities of each inspection element defined.		
	2.11	Is there a flow chart showing locations of inspection and test control points, and a brief description of inspection and tests performed at each station.		

DateStage or Vehicle	Percent Rating Remarks								
INSPECTION PLAN EVALUATION  ater Supplier	BASIC REQUIREMENTS	Drawing and Change Control Is there a change control system that provides for controlled distribution, usage, and removal of all control documents and changes thereto that affect the inspection program.	Are product, test, special process, and material specifications in the change control system.	Are inspection and test procedures, instructions, and related documents in the change control system.	Are processing instructions and related documents in the change control system.	Are operating instructions and related documents in the change control system.	Are drawings, drawing changes, and engineering change orders in the change control system.	Does this system describe a method of distribution and checkout of control documents, such as signoff, signout, etc., and records of location of all documents.	Does the change control system require that changes in documents that affect the quality or inspection program are to be reviewed by the inspection activity prior to becoming effective.
INSPE Center	2.0 E	2.12	2.13	2.14	2.15	2, 16	2,17	2,18	2.19

Z
0
Ĭ
₹
$\Box$
님
Z
H
Z
7
PI
7
0
H
Ċ
Ă
SF
Ä

Date\_

Stage or Vehicle	Remarks							
	Percent Rating							
Supplier	SECTION 2.0 BASIC REQUIREMENTS	Is there indication of review or approval of changes, such as "signoff" of documents.	Does the change control system require that points of effectivity of changes be clearly defined.	Does the change control system provide for retention of records that indicate incorporation of changes and define points of effectivity.	Does the change control system require that all changed articles are so identified and inspected and/or tested.	Is there a flow chart delineating the sequential steps in each change procedure.		
Center	SECTI	2.20	2.21	2.22	2, 23	2,24		

SECTION 3.0 DETAILED INSPEC  REQUIREMENTS  3.1 Control of Procurement Sisters a referenced write procurement activities on This should be a detail of the steps necessary of the steps necessary Do the procedures define plier source inspection.  3.2 Do the procedures define plier source inspection.  3.3 Do procedures require the and inspections performed quality and technical requires and inspections performed and inspections performed basis for vendor approval quality history, vendor series for each vendor.  Government Source Insperience of the steps of the s
--

Date

Stage or Vehicle	Remarks							
	Percent Rating							
Supplier	SECTION 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Government Furnished Property (GFP) Are there procedures for control of Government furnished property.	Do these procedures include provision for:  a. Inspection upon receipt of GFP.  b. Protection, periodic inspection, and controls necessary to preclude damage.	c. Functional testing prior to further processing. d. Reporting to cognizant NASA installation any failures or deficiencies discovered during inspection and testing.	e. Control of deficient GFP to prevent further deterioration or damage.  f. Customer approval prior to disassembly or modification of GFP.	Identification, Handling, and Storage of Material Are there procedures for identification, handling, and storage of all material.	Are these procedures designed to prevent damage, deterioration, loss, or substitution from the time material is received until delivery to customer.	Do procedures require that incoming material is identified as to source and contract for which procured and this identification is maintained in manufacturing records throughout the manufacturing process.
Center	SECTI	3,8	3,9			3, 10	3, 11	3.12
•	<b></b>	<del></del>		7				

Date\_\_

Stage or Vehicle	Remarks								
	Percent Rating								
Supplier	SECTION 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Do procedures provide for identification of all purchased articles to indicate acceptance or rejection after release from incoming inspection.	Do procedures require that all materials subject to age deterioration, such as synthetic rubber, are marked to indicate the date at which useful life was initiated, or the date at which useful life will be expended.	Do procedures require a listing to be maintained of all limited shelf-life items.	Do procedures provide for maintenance of stocks in such a manner that dated material is easily identified.	Do procedures require that stock records are reviewed periodically to eliminate outdated material.	Do procedures require removal and disposition of material which has reached the limit of its shelf-life.	Do procedures call for special handling devices such as special carts, boxes, containers, and transportation vehicles for use to prevent damage to delicate parts during fabrication.	Control of Raw Materials  Is there a description of the procedure for controlling raw material.
Center	SECTI	3,13	3.14	3,15	3.16	3.17	3.18	3, 19	3.20
Ö	L		8						

Date\_

Stage or Vehicle	Remarks						
	Percent Rating						
Supplier	SECTION 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Are there provisions for chemical and physical tests to determine conformance to applicable specification.	Are test specimens required for certain raw materials that require destructive tests for determining conformance.	Is there a listing of the raw materials contractually requiring test specimens.	Is the physical separation of raw materials into the following categories required:  a. Materials awaiting inspection.  b. Materials accepted by inspection and ready for use.  c. Materials rejected by inspection and subject to rework, return to vendor, or scrap.	Inspection and Tests Is there a factory test and inspection plan showing characteristics to be tested, test station, and test equipment required to determine conformance to specifications.	Are the detailed inspection or test procedures for each operation of test and inspection referenced for submittal as supplements to this plan or attached as exhibits in appendix.
Center	SECTI	3.21	3.22	3.23	3, 24	3, 25	3.26

-
~
$\sim$
$\cong$
H
~
7
$\Box$
٦.
$\blacksquare$
~
.~
$\triangleright$
6.3
H
$\overline{}$
_
<c< td=""></c<>
. ન
$\blacksquare$
Λ.
-
Z
$\sim$
$\vdash$
۶,
$\circ$
H
_
Δ
$\overline{c}$
ĮΩ.
Z
_

Stage or Vehicle	Remarks								-
	Percent Rating								
Supplier	ON 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Does procedure require that the quality organization review the procedures for process control and conduct audits to determine conformity with approved methods and procedures.	Do process control procedures require that operator personnel are certified for critical processes.	Do procedures make provision for recertification tests of machines, processes, and personnel.	Nonconforming Material Is there a procedure for control of nonconforming material.	Do procedures require that nonconforming articles be identified and segregated from normal work operations.	Do procedures require that the cognizant NASA installation be advised of any minor nonconformance with the suggested repair procedure for such nonconformance.	Do procedures provide for feedback of nonconformance information to responsible vendor.	Do procedures require approval by cognizant NASA installation for disposition of nonconforming material.
Center	SECTION 3.0	3,32	3,33	3,34	3,35	3,36	3.37	3,38	3, 39

Date\_

Stage or Vehicle	Remarks							
	Percent Rating							
Supplier	SECTION 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Do procedures require that records of all waivers or approvals of nonconforming articles are maintained and such articles identified.	Do procedures require that records of all actions on nonconforming material are maintained in a manner to readily show recurring defects.	Does the procedure require that technical recommendation regarding disposition of nonconforming material is made by cognizant design and quality control personnel.	Do procedures require that material dispositioned as scrap is clearly marked and controlled to preclude further use.	Control of Inspection, Measuring, and Test Equipment Are there provisions for selection, evaluation, and maintenance of suitable inspection, measuring and test equipment.	Is there a procedure for the control of inspection, measuring, and test equipment.	Do procedures require that the quality activity approves the design and application of inspection, measuring, and test equipment.
Center	SECT	3,40	3,41	3.42	3,43	3.44	3,45	3,46
J								

TION
/ALUA
LAN EV
ION P
INSPECT

Stage or Vehicle	Remarks						
	Percent Rating						
Supplier	SECTION 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Do procedures require that each item of inspection, measuring, and test equipment have an operational check prior to initial use.	Do procedures provide for recalibration of inspection, measuring, and test equipment at specified intervals to assure continued accuracy, and are the dates of calibration and due date for subsequent calibration displayed on the equipment.	Do procedures require that calibrations are made against standards having relationship certified traceable to National Bureau of Standards.	Do procedures require that items of inspection, measuring, and test equipment that have not been maintained or calibrated at established intervals or found to be outside calibration limits are removed from service.	Do procedures require that all tools, gages, jigs, and fixtures, which control dimensions affecting quality characteristics, are initially checked prior to use.	Do procedures require that there are established intervals for rechecking tools, gages, jigs, and fixtures.
Center	SECTI	3,47	3.48	3,49	3,50	3,51	3.52

	INSPE(	INSPECTION PLAN EVALUATION		Date
	Center	Supplier		Stage or Vehicle
,				
	SECTI	SECTION 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Percent Rating	Remarks
*	3, 53	Do procedures require that records of calibration and certification of inspection, measuring, and test equipment are retained.		
	3.54	Is there indication of supplier maintaining a control area from which inspection, measuring, and test equipment is serviced and controlled.		
14	3, 55	Indication of Inspection Status Is there a description of an inspection stamp, decal, or seal system, which clearly identifies the inspection status of articles at all points in the manufacturing process.		
	3,56	Does the inspection stamp control system identify the individual performing the inspection.		
	3.57	Does the stamp system require that inspection stamps are applied directly to the article where practical; if not, are they applied to the containers or accompanying labels.		
	3, 58	Do the supplier's inspection stamps differ from the Government inspection stamps.		
	3.59	Preservation, Packaging, Packing, and Shipping Is there a description of the procedure for the preservation, packaging, packing, and shipping of articles to provide necessary protection of all articles throughout the manufacturing phase to prevent loss, damage, degradation, and substitution.		

ATION
EVALU/
PLAN
ECTION
INSP

SECTION 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS  3.60 Does the supplier show evidence of complying with ICC rules and regulations for packing, marking, and shipping of articles provided these items are not contractually specified.  Is the responsibility for quality verification established for the areas of preservation, packaging, packing, and shipping.  Are requirements established for preservation of articles subject to corrosion or deterioration during manufacturing, storage, and in the packaged state.  Are packaging methods established and documented, Do procedures require that the inspection activity verifies that only articles having all processes and final inspection of articles completed are packed.  Do procedures require that the inspection activity verifies that all articles are properly identified and marked according to applicable specifications.		to be used.
SECT 3.60 3.62 3.63 3.64 3.65	3.66	

$\overline{}$
$\leq$
$\circ$
$\blacksquare$
$\vdash$
_
$\preceq$
$\Box$
٦.
7
⋖
$\Box$
Z
7
74
$\vdash$
Д
-
-
4
$\circ$
=
-
$\cup$
$\Xi$
$\hat{\mathbf{a}}$
17
92
Z
$\Box$

_	Center	Supplier		Stage or Vehicle
•				
	SECTION 3.0	ON 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Percent Rating	Remarks
	3.68	Are sampling plans in accordance with applicable military documents MIL-STD-105, MIL-STD-414, or handbooks Numbers 106, 107, and 108.		
	3,69	Are sampling plans other than the military type proposed to be used; if so, are they contractually required or approved by the cognizant NASA installation.		
16	3.70	Records of Inspections and Tests  Do procedures require that records of all inspections and tests are retained for the required period and are available to the cognizant NASA installation.	•	
	3,71	Do procedures require that test records include part or component identification, inspection or test involved, number of conforming articles, number rejected, nature of defect, and cause for rejection.		
	3,72	Do procedures require that the test equipments used in making critical measurements are identified in test reports, including model, name, drawing number, serial number, and calibration status.		
	3,73	Corrective Action Is there a description of the corrective action procedure.		
	3,74	Is responsibility for corrective action established.		

_
Z
$\sim$
$\succeq$
77
L
⋖!
$\vec{}$
_
Ы
$\neg$
٧,
>
ΞĮ
Z
_
73
1
д
_
-
4
$\circ$
$\simeq$
57
O
Ē
_
4
Ŝ
5
4

Stage or Vehicle	Remarks								
	Percent Rating								
Supplier	SECTION 3.0 DETAILED INSPECTION SYSTEM REQUIREMENTS	Do procedures include the requirement of immediate notification to the applicable supplier function that corrective action is required.	Do procedures require that failure analyses are performed on all deficiencies requiring corrective action and are reported directly to the supplier function responsible for corrective action.	Do procedures require follow up in all deficiencies to ensure corrective action.	Do procedures require that all occasions of corrective action, failure analysis, and follow up, are documented in reports to management.	Does the nonconforming material procedure require that samples of deficient or failed articles be made available to the cognizant NASA installation.	Do procedures require that repetitive defects, regardless of classification, are given the proper attention to assure corrective action.	Is there a listing of Inspection, Measuring, and Test Equipment available for use by inspection and test personnel.	
Center	SECTI	3.75	3.76	3.77	3,78	3,79	3, 80	3,81	